Notice of Allowability	Application No.	Applicant(s)	
	10/529,942	MUTO ET AL.	
	Examiner	Art Unit	
	Willis R. Wolfe, Jr.	3747	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to	•		
2. The allowed claim(s) is/are <u>1-9</u> .			
<ul> <li>3.</li></ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>5.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
			•
<ul> <li>Attachment(s)</li> <li>1. ☒ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4/1/05</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	5. Notice of Informal Pa 6. Interview Summary ( Paper No./Mail Date 7. Examiner's Amendm 8. Examiner's Statemer 9. Other	(PTO-413), e nent/Comment	,

Application/Control Number: 10/529,942 Page 2

Art Unit: 3747

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## In the Claims

In claim 1, line 6, after the word "pressure', a -- , -- has been added.

In claim 1, line 7 after the word "calculated", a -- , -- has been added.

## **EXAMINER'S AMENDMENT TO THE RECORD**

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

The prior art fails to disclose or teach taking into account the pressure loss due to the air cleaner in calculating or detecting the intake air pressure upstream of the throttle valve.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Willis R. Wolfe, Jr. whose telephone number is (571) 272-4855. The examiner can normally be reached on Tuesday, Wednesday and Friday (5:30 AM-4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry C. Yuen can be reached on (571) 272-4856. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/529,942 Page 4

Art Unit: 3747

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Willis R. Wolfe, Jr.
Primary Examiner
Art Unit 3747

WRW March 17, 2006